

Vision Related Literature on Acquired Brain Injury

Updated April 2009.

Compiled by Lynn Fishman Hellerstein, O.D., FCOVD, FAAO

LHellerstein@HBVision.net

- Aksionoff EB, Falk NS. The differential diagnosis of perceptual deficits in traumatic brain injury patients. *J Am Optom Assoc* 1992;63:554-8.
- Aksionoff EB, Falk NS. Optometric therapy for the left brain injured patient. *J Am Optom Assoc* 1992;63:564-8.
- Alesterlund L, Maino D. That the blind may see: A review: Blindsight and its implications for optometrists. *J Optom Vis Dev* 1999;30(2):86-93
- Anderson DC et al. The dizzy patient: a review of etiology, differential diagnosis, and management. *J Am Optom Assoc* 1995;66:545-558.
- Chokron, S., Perez, C., Obadia, M., Gaudry, I., Laloum, L., Gout, O., From blindsight to sight: cognitive rehabilitation of visual field defects, *Restorative Neurology and Neuroscience* 2008;26, 305.
- Ciuffreda KJ. The efficacy of and scientific basis for vision therapy in non-strabismic accommodative and convergence disorders. *Optometry* 2002;73:735-762.
- Ciuffreda KJ, Han Y, Kapoor, Ficarra AP. Oculomotor rehabilitation for reading in acquired brain injury. *NeuroRehabil* 2006;21(1):9-21.
- Ciuffreda KJ, Kapoor N, Han Y. Reading-related ocular motor deficits in traumatic brain injury. *Brain Inj/Professional* 2005;2:16-20.
- Ciuffreda KJ, Kapoor N, Rutner D, Suchoff IB, et al. Occurrence of oculomotor dysfunctions in acquired brain injury: A retrospective analysis. *J Am Optom Assn* 2007;78:155-161.
- Ciuffreda KJ, Ludlam, Kapoor N. Clinical oculomotor training in traumatic brain injury. *Optom Vis Dev* 2009;40(1):16-23.
- Ciuffreda KJ, Rutner R, Kapoor N, Suchoff IB. Vision therapy for oculomotor dysfunctions in acquired brain injury. *Optometry-J Am Optom Assn* 2008;79:18-22.
- Ciuffreda KJ, Suchoff IB, Marrone MA, et al. Oculomotor rehabilitation in traumatic brain-injured patients. *J Behav Optom* 1996;7:31-8.
- Ciuffreda KJ, Suchoff IB, Kapoor N, et al. Normal vision function. In: *Downey & Darling's Physiological Basis of Rehabilitation Medicine*, 3rd ed. Gonzalez EG, Myers SJ, Edelstein JE, et al., eds. Boston: Butterworth-Heinemann, 2001;241-61.
- Ciuffreda, K. J., and Tannen, B., *Eye Movement Basics for the Clinician*, Mosby, St. Louis, MO, 1995.
- Cohen AH. Optometric management of binocular dysfunctions secondary to head trauma: case reports. *J Am Optom Assoc* 1992;63:569-75.
- Cohen AH, Rein LD. The effect of head trauma on the visual system: the doctor of optometry as a member of the rehabilitation team. *J Am Optom Assoc* 1992;63:530-6.

- Cohen AH. Acquired visual information-processing disorders: Closed head trauma. In: Press LJ, ed. *Applied Concepts in Vision Therapy*. St. Louis: Mosby, 1997:154-67.
- Cohen AH. Optometric rehabilitative therapy. In: Press LJ, ed. *Applied Concepts in Vision Therapy*. St. Louis: Mosby. 1997:278-86.
- Cohen AH. The role of optometry in the management of vestibular disorders. *Brain Injury/Professional* 2005;2:8-10.
- Cohen AH. Management of patients with hemianopic visual field loss. *J College of Optom in Vision Dev* 2003;34: 111-18.
- Cooper J. Deflating the rubber duck. *J Behav Opt* 1998;9(5):115-119.
- Craig S, Kapoor N, et al. Profile of Selected Aspects of Visually Symptomatic Individuals With Acquired Brain Injury: A Retrospective Study. *J Behav Optom* 2008;19:1-10.
- Du T, Ciuffreda KJ, Kapoor N. Elevated dark adaptation in traumatic brain injury. *Brain Injury* 2005 ;19(13):1125-38.
- Falk, Naomi S. and Aksionoff, Elizabeth B. , The Primary Care Optometric Evaluation of the Traumatic Brain injury Patient *J Am Optom Assoc* 8/92;63(8),
- Fox RS. The rehabilitation of vergence and accommodative dysfunctions in traumatic brain injury. *Brain Injury/Professional* 2005;2:12-15.
- Gianutsos R, Ramsey G. Enabling rehabilitation optometrists to help survivors of acquired brain injury. *J Vis Rehabil* 1988;2(1):37-58.
- Gianutsos R, Suchoff IB. Neuropsychological consequences of mild brain injury and optometric implications. *J Behav Optom* 1998;9(1):3-6.
- Gianutsos R, Suchoff IB. Visual fields after brain injury: management issues for the occupational therapist. In: Scheiman M, ed. *Understanding and Managing Vision Defects-A Guide for Occupation Therapists, 2nd edition*. Thorofare, N.J.: Slack, 2002:248-62.
- Goodrich L, Kirby J, et al. Visual Function in Patients of a Polytrauma Rehabilitation Center: A descriptive Study. *J of Rehabilitation Research and Development* November 2007: 44: 929-936.
- Gottlieb DD, Freeman P, Williams M. Clinical research and statistical analysis of a visual field awareness system. *J Am Optom Assoc* 1992;63:581-8.
- Gottlieb DD, Fuhr A, Hatch WV, et al. Neuro-optometric facilitation of vision recovery after acquired brain injury. *Neuro-rehab* 1998;11:175-99.
- Han Y, Ciuffreda KJ, Kapoor N. Reading-related oculo-motor testing and training protocols for acquired brain injury in humans. *Brain Res Protoc* 2004;14(1):1-12.
- Han, M. H., Craig, S. B., Rutner, D., Kapoor, N., Ciuffreda, K. J., Suchoff, I. B., Medications prescribed to brain injury patients: a retrospective analysis, *Optom* 2008; 79, 252.
- Harrison RJ. Loss of fusional vergence with partial loss of accommodative convergence and accommodation following head injury. *Binoc Vis* 1987;2(2):93-100.
- Hellerstein LF. Visual problems associated with brain injury. In: Scheiman M, ed. *Understanding and Managing Vision Defects-A Guide for Occupational Therapists, 2nd edition*. Thorofare, N.J.:2002:178-85.

- Hellerstein LF. Visual rehabilitation for patients with brain injury. In: Scheiman M, ed. *Understanding and Managing Vision Defects-A Guide for Occupational Therapists*, 2nd edition. Thorofare, N.J.:2002.
- Hellerstein LF, Fishman BI. Vision therapy and occupational therapy: An integrated approach. *J Behav Optom* 1990;1(5):122-126.
- Hellerstein LF, Fishman BI. Collaboration between occupational therapists and optometrists. *OT Pract* 6/99;22-30.
- Hellerstein LF, Freed S. Rehabilitative optometric management of a traumatic brain injury patient. *J Behav Optom* 1994;5(6):143-8.
- Hellerstein LF, Freed S, Maples WC. Vision profile of patients with mild brain injury. *J Am Optom Assoc* 1995;66:634-9.
- Heitger MH et al. Eye movement and visuomotor arm movement deficits following mild closed head injury. *Brain* 2004;127(3):575-590.
- Herdman SJ. Patients with vestibular disorders, part II. Postgraduate advances in Physical Therapy, APTA 1987:1-16.
- Hillier CG. Vision rehabilitation following acquired brain injury: a case series. *Brain Injury/Professional* 2005; 2:30-32.
- Hinrichs CA. Vision rehabilitation for the multiply challenged child. *J Optom Vis Devel* 6/92;23(2): 9-13.
- Jackowski MM, Sturr JF, Taub HA, Turk MA. Photophobia in patients with traumatic brain injury: uses of light-filtering lenses to enhance contrast sensitivity and reading rate. *Neuro-rehab* 1996;6:193-202.
- Jackowski MM, Sturr JF, Turk MA, Friedman DI. Clinical indications of altered peripheral field function in patients with traumatic brain injury. *Invest Ophthalmol Vis Sci* 1999;40(4):32 (supplement).
- Kapoor N, Ciuffreda KJ. Vision disturbances following traumatic brain injury. *Current Treatm Options in Neurol* 2002;4:271-280
- Kapoor N, Ciuffreda KJ, Suchoff IB. Egocentric localization in patients with visual neglect. In: Suchoff IB, Ciuffreda KJ, Kapoor N, eds. *Visual and Vestibular Consequences of Acquired Brain Injury*. Santa Ana, CA: Optometric Extension Program, 2001:131-144.
- Kapoor N, Ciuffreda KJ, Han, Y. Oculomotor rehabilitation in acquired brain injury: A case series. *Arch Phys Med Rehab* 2005;1667-78.
- Kapoor N, Ciuffreda KJ. Vision problems. In: Silver JM, McAllister TW, Yudofsky SC, eds. *Textbook of traumatic brain injury*. Washington, DC: American Psychiatric Publishing, Inc, 2005:405-15.
- Katz RT, Golden RS, Butter J, Tepper, Rothke S, Holmes J. Driving safety after brain damage: follow-up of twenty-two patients with matched controls. *Arch Phys Med Rehabil* 2/90;71:133-137.
- Lachapelle, J., Bolduc-Teasdale, J., Ptitto, A., McKerral, M., Deficits in complex visual information processing after mild TBI: electrophysiological markers and vocational outcome prognosis, *Brain Inj*, 2008;22, 265.
- Leslie S. Myopia and accommodative insufficiency associated with moderate head trauma. *Optom Vis Dev* 2009;40(1):25-31.
- Ludlam WM. Rehabilitation of traumatic brain injury with associated visual dysfunction—a case report. *Neuro-rehabilitation* 1996;6:183-92.

- Maino DM. Diagnosis and management of special populations. Mosby, St. Louis 1995.
- Maino D. Neuroplasticity: Teaching an old brain new tricks. *Rev Optom*, 2009; 46(1):62-64,66-70.
- Mandese M. Oculo-visual evaluation of the patient with traumatic brain injury. *Optom Vis Dev*. 2009;40(1)L37-44.
- Margolis, N. W., and Suter, P. S., Visual field defects and unilateral spatial inattention: diagnosis and treatment, *J Behav Optom* 2006;(17) 31.
- McCabe, Patricia, M.P.N., P.T., and Bergman, Susan Biener, M. D., Vision Rehabilitation for Psychiatry Residents: A Model Curriculum. *Am J of Phys Med and Rehab*, Vol. 78, No. 4, 389-391, July/August 1999.
- McKenna, K., Cooke, D.M., Fleming, J., Jefferson, A., and Ogden, S., The incidence of visual perceptual impairment in patients with severe traumatic brain injury, *Brain In* 2006;(20) 507.
- Mosimann UP, Muri RM, Felblinger J, Radanov BP. Saccadic eye movement disturbances in whiplash patients with persistent complaints. *Brain* 2000; 123(4):828-835.
- Nelms AC. New visions—collaboration between OTs and optometrists can make a difference in treating brain injury. *OT Practice* 7/17 & 31/2000;31:15-8.
- Padula WV. A Behavioral Vision Approach for Persons with Physical Disabilities. *Optom Exten Prog*. 1988.
- Padula WV. Neuro-optometric Rehabilitation for Persons with a TBI or CVA. *J Optom Vis Develop*. 6/92;(23)4-8.
- Padula W. Visual evoked potentials (VEP) evaluating treatment for post-trauma vision syndrome (PTVS) in patients with traumatic brain injuries (TBI). *Brain Inj* 1994;8:125-33.
- Padula WV, Argyris S, Ray J., Visual evoked potentials (VEP) evaluating treatment for post-trauma vision syndrome (PTVS) in patients with traumatic brain injuries (TBI), *Brain Inj*. 1994;(8)125.
- Padula WV, Politzer T, Simmons-Grab, etal. Visual Dysfunction Following a Neurological Event. *J Rehab Prof* 1-3/2001.
- Padula WV, Shapiro JB, Jasin P. Head injury causing post trauma vision syndrome. *N Engl J Optom* 1988;41(2):16-21.
- Padula WV, Shapiro JB, Jasin P. Head Injury Causing Post Trauma Vision Syndrome. *N Engl J Optom*, 12/88;17-20.
- Padula WV, Susan G. Post Trauma Vision Syndrome: Part I. Inside View Newsletter, The Centre for Neuro Skills, Issue 8.3, ISSN# 1065-7320, Summer 1999, 1-3.
- Padula WV, Susan G. Post Trauma Vision Syndrome: Part II. Inside View Newsletter, The Centre for Neuro Skills, Issue 8.4, ISSN# 1065-7320, Fall 1999. 1-3.
- Park E, Bell JD, Baker AJ. Traumatic brain injury; Can the consequences be stopped? *Canadian Med Assoc J* 2008; 178(9):1163-70.
- Peli, E., Vision multiplexing: An engineering approach to vision rehabilitation device development, *Optom Vision Sci* 2001;(78) 304.
- Politzer TA. Case studies of a new approach using partial and selective occlusion for the clinical treatment of diplopia. *NeuroRehab* 1996;6:213-217.

- Raymond MJ, Bennett TL, Malia KB, Bewick KC. Rehabilitation of visual processing deficits following brain injury. *NeuroRehab* 1996;6:229-240.
- Proctor A. Traumatic brain injury and binasal occlusion. *OptVis Dev* 2009;40(1):45-50.
- Reinhard, J., Schreiber, A., Schiefer, U,; Kasten, E., Sabel, B. A., Kenkel, S., Vonthein, R., Trauzettel-Klosinski, S., Does visual restitution training change homonymous visual field defects? A fundus controlled study, *British Journal of Ophthalmology*, 89, 30, 2005.
- Roberts S. Visual disorders of higher cortical function. *J Am Optom Assoc* 1992;63:723-32.
- Rosenthal, M.; Griffith, E.R.; Bond, R; Miller, J;.D., Rehabilitation Of The Adult & Child With Traumatic Brain Injury. Ed.#2 F.A.. Davis Company, Philadelphia Second Edition.
- Roy, Raymond R., The Role of Binocular Stress in the Post- Whiplash Syndrome. *Amer. J. of Optom Arch Am Acad Optom*. Nov 1961; 625-635.
- Rutner D, Kapoor N, Ciuffreda KJ, Craig S, et al.. Occurrence of ocular disease in traumatic brain injury in a selected sample: A retrospective analysis. *Brain Inj* 2006;20(10) 1079-86.
- Rutner D, Kapoor N, Ciuffreda KJ , Suchoff IB, et al. Frequency of occurrence of ocular disease in symptomatic individuals with acquired brain injury. A clinical management perspective. *J Behav Optom* 2007;18:31-36.
- Sabates, Nelson R., MD; Gonce, Mark A., MD; Farris, Bradley K., MD, Neuro-ophthalmological Findings in Closed Head Trauma. *J Clin Neuro-Ophthal*.11(4), 1991;273-277,
- Scheiman M, Gallaway M. Vision therapy to treat binocular vision disorders after acquired brain injury: factors affecting prognosis. In: Suchoff IB, Ciuffreda KJ, Kapoor N, eds. *Visual and Vestibular Consequences of Acquired Brain Injury*. Santa Ana, CA: Optom Ext Prog, 2001:89-113.
- Scheiman M, Wick B. Binocular and accommodative problems associated with acquired brain injury. In: Scheiman M, Wick B, eds. *Clinical Management of Binocular Vision-Hetroporphic, Accommodative, and Eye Movement Disorders, 2nd edition*.Philadelphia, PA: Lippincott Williams & Wilkins, 2002: 573-95.
- Shumway-Cook A, Horak FB. Rehabilitation strategies for patients with vestibular deficits. *Neur Clin* 5/90;8(2):441-457.
- Shumway-Cook A, Horak FB. Vestibular rehabilitation: an exercise approach to managing symptoms of vestibular dysfunction. *Seminars in Hearing* 5/89;10(2):196-209.
- Stoerig, P., and Cowey, A., Blindsight, *Current Biology* 2007;17(19), R822.
- Streff JW. Visual rehabilitation of hemianoptic head trauma patients emphasizing ambient pathways. *Neuro-rehab* 1996;6:173-81.
- Suchoff IB. The diagnosis of visual unilateral spatial inattention. *Brain Injury/Professional* 2005;2:22-25.
- Suchoff IB, Ciuffreda KJ. A primer for the optometric management of unilateral spatial inattention. *J Am Optom*. 2004;75:305-19.
- Suchoff IB, Ciuffreda KJ, Kapoor N, eds. *Visual and vestibular Consequences of Acquired Brain Injury*. Santa Ana, CA: Optometric Extension Program Foundation, 2001.
- Suchoff IB, Gianutsos R. Rehabilitative optometric interventions for the adult with acquired brain injury. In: Grabois M, Garrison SJ, Hart KA, et al., eds. *Physical Medicine*

and Rehabilitation: The Complete Approach. Malden, MA: Blackwell Science, 2000;608-21.

- Suchoff IB, Gianutsos R, Ciuffreda K, Groffman SI. Vision impairments related to acquired brain injury. In: Silverstone B, Lang MA, Rosenthal BP, et al., eds. *The Lighthouse Handbook on Vision Impairment*, Vol. 1. New York: Oxford University Press, 2000:517-39
- Suchoff IB, Kapoor N, Ciuffreda KJ, Rutner D, et al. The frequency of occurrence, types, and characteristics of visual field defects in acquired brain injury: A retrospective analysis. *J of the Am Optom Assn* 2008;79: 259-65.
- Suchoff IB, Kapoor N, Waxman R, Ference W. The occurrence of ocular and visual dysfunctions in an acquired brain-injured sample. *J Am Optom Assoc* 1999;70:301-8.
- Suchoff I, Han E, Craig S, Rutner, D, Kapoor N, Ciuffreda K. The Frequency of Occurrence, types and Characteristics of Visual Field Defects in Brain Injury: A Retrospective Analysis. *J Am Optom Assoc* 5/2008;79: 259-256.
- Suter PS. A quick start in post-acute vision rehabilitation in brain injury. *J Optom Vis Dev* 1999;30:73-82.
- Suter PS. Rehabilitation and management of visual dysfunction following traumatic brain injury. In: Ashly, MJ eds. *Traumatic Brain Injury Rehabilitative Treatment and Case Management*, 2nd edition. Boca Raton, Fla.: CRC Press, 2004:209-49.
- Suter PS, Margolis N. Managing visual field defects following acquired brain injury. *Brain Injury/Professional*. 2005;2:26-8.
- Suter, PS. Ch 9: Rehabilitation and Management of Visual Dysfunction Following Brain Injury. *Traum Brain Inj Rehab*. Ashle, Mark, Krych, Davied Eds. CRC Press Inc.1995.
- Suter, Penelope S., A Quick Start in Post-Acute Vision Rehabilitation Following Brain Injury. *J Optom Vis Dev*. Vol. 30, Summer 1999; 73-82.
- Thomas J., The Pathobiological Neuro-Biochemical Cellular Basis of Post –Trauma Vision Syndrome (Part III). *The Inside View Newsletter*, The Centre for Neuro Skills, Issue 8.5. ISSN# 1065-7320, Winter 2000.
- Tierney DW. Visual dysfunction in closed head injury. *J Am Optom Assoc* 1988;59:614-22.
- Vogel MS. An overview of head trauma for the primary care practitioner: Part II—Ocular damage associated with head trauma. *J Am Optom Assoc* 1992;63:542-6.
- Waiss B, Soden R. Head trauma and low vision: clinical modifications for diagnosis and prescription. *J Am Optom Assoc* 1992;63:559-63.
- Warren M. A hierarchical model for evaluation and treatment of visual perceptual dysfunction in adult acquired brain injury, part 1. *The Am J Occup Th* 1/93;47(1):42-54.
- Warren M. A hierarchical model for evaluation and treatment of visual perceptual dysfunction in adult acquired brain injury, part 2. *Am J Occup Th* 1/93;47(1):55-66.
- Weiss LM. Visual-Vestibular Interaction in the Acquired Brain Injured Patient. *J Optom Vis Devel* 2002;33:33-41.
- Zasler ND, Katz DI, Zafonte. *Brain injury medicine: principles and practice*. Demos; NY; 2006.

- Zoltan, B. Remediation of visual perceptual and perceptual-motor deficits. In Rosenthal's Rehabilitation of the adult and child with traumatic brain injury. 2:F.A. Davis Company, Philadelphia, 1990:360-363.
- Zoltan B, Siev E, Freishtat B. The Adult Stroke Patient. Slack Inc., Thorofare, NJ 1986.
- Zoltan B. Vision, Perception and Cognition 3rd ed. Slack Inc., Thorofare, NJ 1996.
- Zoltan. B. Visual, visual perceptual and perceptual-motor defects in brain – injured adults. In Kraft GH, Berrol S (eds). North Physical medicine and Rehabilitation Clinics of America. Philadelphia WB Saunders: 1992
- Zost M. Diagnosis and management of visual dysfunction in cerebral injury. In: Maino D, ed. *Diagnosis and Management of Special Populations*. St. Louis: CV Mosby, 1995 ; reprinted and published by agreement with Mosby by Optometric Extension Program, Santa Ana, CA; 2001:75-134.